



C9 CLEANER DISINFECTANT

Hospital Grade Disinfectant



FEATURES

- Quaternary Ammonium Chloride (QAC) based
- Economical
- Hard water compatible
- Automatic dilution
- Neutral formula
- Meets TGA Hospital Grade Disinfectants requirements (AUST L 354690)

AREAS OF USE

- Food preparation areas
- Restaurants
- Cafeterias
- Hospitals
- Schools
- Other public facilities

DESCRIPTION

C9 Cleaner Disinfectant is a QAC based multi-purpose detergent. Its neutral formula helps achieve excellent cleaning results with germicidal effect in hard water conditions on hard, non-porous surfaces, such as floors, walls, metal surfaces, stainless steel, porcelain, and plastic. It ensures high hygiene standards in high risk areas and is proven effective against SARS-CoV-2 (COVID-19).

DIRECTIONS FOR USE

Hospital Grade Disinfectant: Dilute 1:50. Apply solution to the surface, leave for 10 minutes then rinse off. Hard surface disinfectant only. Not to be used on skin. Not to be used on medical devices and other therapeutic goods. AUST L 354690

General Purpose and Hard Surface Cleaner: Dilute 1:250 in warm water. Apply to surface, leave for 10 minutes then rinse. Consult your Jasol representative for further information.

SAFETY INFORMATION

C9 Cleaner Disinfectant is classified as Hazardous according to the GHS.
C9 Cleaner Disinfectant is classified as Dangerous Goods according to the ADG Code (7th Ed).
C9 Cleaner Disinfectant is a Scheduled Poison according to the SUSMP.

Harmful if swallowed. Avoid contact with eyes and skin. Very toxic to aquatic life. Refer to SDS for further information.

FIRST AID INFORMATION

If poisoning occurs contact a doctor or **Poisons Information Centre Australia, Phone 13 11 26**. If swallowed do NOT induce vomiting. Wash out mouth thoroughly with water and seek immediate medical attention. If in eyes, hold eyelids apart and flood with water for at least 15 minutes. If on skin, remove contaminated clothing and wash affected area with running water. Seek immediate medical attention.

24 HOUR TOLL FREE EMERGENCY PHONE NO: 1800 629 953

PRODUCT ENQUIRIES

Customer Service: **1800 334 679**

jasolcsteam@gwf.com.au

For further information regarding product safety and handling, refer to the Safety Data Sheet and product label.

FORM

COLOUR

ODOUR

pH

SPECIFIC GRAVITY

FLAMMABILITY

Clear Liquid

Dark Orange

Citrus

6.0-8.0

0.98 at 20°C

Not Flammable



Providing hygiene service solutions since 1934



C9 CLEANER DISINFECTANT

Hospital Grade Disinfectant



EFFICACY

C9 Cleaner Disinfectant was evaluated by the AOAC Hard Surface Carrier Test 991.47, 48, 49 (modified) at 1:50 (v/v) concentration & 10 minutes contact time in standard hard water.

The product passed the test against all prescribed organisms:

- *Pseudomonas aeruginosa*
- *Staphylococcus aureus*
- *Salmonella choleraesuis*

C9 Cleaner Disinfectant was evaluated in accordance with the TGA Test for Hospital Grade Disinfectants (Option B).

The product passed the test against the following organisms at the dilution rate of 1:50 (v/v):

- *Escherichia coli*
- *Staphylococcus aureus*
- *Pseudomonas aeruginosa*
- *Proteus vulgaris*

C9 Cleaner Disinfectant was evaluated in accordance with ASTM E1053 at 1:50 (v/v) & 10 minutes contact time at room temperature.

The product passed the test against the following organism:

- *Murine Hepatitis Virus (MHV1) ATCC/RV-261 (TGA designated surrogate to justify COVID-19 efficacy claim).*