



# HI FLUX SURF

## Membrane Cleaner Additive



### FEATURES

- Low foaming
- Easy in-line cleaning
- Excellent fat removal properties
- HALAL, KOSHER approved

### AREAS OF USE

- Ultrafiltration plants

### DESCRIPTION

HI FLUX SURF is a specially designed blend of non-ionic surfactants for fat removal in ultrafiltration plants at dairy processing facilities.

### DIRECTIONS FOR USE

Add to the cleaning solution at 0.015-0.1g/L. Circulate for 30-60 minutes at a temperature of 40°C-60°C. Rinse off all product contacting surfaces with potable water after use.

*Please note that all membrane cleaning must be carried out in accordance with the membrane manufacturer's guidelines, recommended limits of pH, temperature and exposure time should be followed.*

Contact your Jasol representative for further information.

### SAFETY INFORMATION

HI FLUX SURF is classified as Hazardous according to the GHS.

HI FLUX SURF is NOT classified as Dangerous Goods according to the ADG Code (7<sup>th</sup> Ed).

HI FLUX SURF is a Scheduled Poison according to the SUSMP.

Avoid contact with eyes. Do not breathe mist or vapour. Do not swallow. Refer to SDS for further information.

#### FIRST AID INFORMATION

For advice in an emergency, contact **Poisons Information Centre (Phone Australia 13 11 26) or a doctor at once**. If swallowed do NOT induce vomiting. Wash mouth thoroughly with water and seek medical attention. If in eyes, hold eyelids apart and flood with water for at least 15 minutes. If on skin, remove contaminated clothing and wash affected area with running water. Seek medical attention if irritation persists.

### PRODUCT ENQUIRIES

Customer Service: **1800 334 679**

[jasolsteam@gwf.com.au](mailto:jasolsteam@gwf.com.au)

For further information regarding product safety and handling, refer to the Safety Data Sheet and product label.

### PHYSICAL & CHEMICAL PROPERTIES

#### FORM

Clear Liquid

#### COLOUR

Colourless

#### SPECIFIC GRAVITY

0.990 - 1.0

#### FLAMMABILITY

Not Flammable



2170823

