



41 – 45 Tarnard Drive, Braeside, VIC 3195
131 Garling Street, O'Connor, WA 6163
Telephone: 1800 334 679
A division of George Weston

JASOLVE BA1-SN-C

Boiler Water Corrosion Inhibitor



FEATURES

- Oxygen scavenger
- Cost effective
- Suitable for high temperature feedwater
- Easy to control

AREAS OF USE

- Boiler water treatment

DESCRIPTION

JASOLVE BA1-SN-C is a sodium sulphite based product designed to prevent corrosion in steam generating systems by absorbing oxygen from feedwater and boiler water. It is effective at high feedwater temperatures ($>180^{\circ}\text{C}$) and suitable for low-medium pressure systems.

DIRECTIONS FOR USE

JASOLVE BA1-SN-C is a one-shot treatment for boiler systems. The dosage rates will depend upon a number of factors, including the type and volume of the system being treated and initial hardness of water.

For assessment before use, please consult your Jasol representative.

SAFETY INFORMATION

JASOLVE BA1-SN-C is classified as Hazardous according to the GHS.
JASOLVE BA1-SN-C is NOT classified as Dangerous Goods according to the ADG Code (7th Ed).
JASOLVE BA1-SN-C is a Scheduled Poison according to the SUSMP.
Avoid contact with eyes and skin. Refer to SDS for further information.

FIRST AID INFORMATION

If poisoning occurs contact a doctor or **Poisons Information Centre Australia, Phone 13 11 26**.
If swallowed do NOT induce vomiting. Wash out mouth thoroughly with water and seek immediate medical attention. If in eyes, hold eyelids apart and flood with water for at least 15 minutes. If on skin, remove contaminated clothing and wash affected area with running water. Seek immediate medical attention.

24 HOUR TOLL FREE EMERGENCY PHONE NO: 1800 629 953

PRODUCT ENQUIRIES

Customer Service: **1800 334 679**

jasolcsteam@gwf.com.au

For further information regarding product safety and handling, refer to the Safety Data Sheet and product label.

FORM

COLOUR

ODOUR

pH

SOLUBILITY IN WATER

FLAMMABILITY

Solid

White

Mild Characteristic Odour

11.5 (10g/L)

Soluble

Not Flammable

5kg

2144008

