



# SANITISER O6

## Peracetic Acid Based Sanitiser



### FEATURES

- Food safe
- Good storage stability
- Suitable for stainless steel
- Rapid microbial kill rate
- HALAL approved

### AREAS OF USE

- Food processing areas
- Dairy processing areas

### DESCRIPTION

SANITISER O6 is a peracetic acid based sanitiser used for general bleaching and disinfection, where use of chlorine is unsuitable due to its side-effects. Peracetic acid is a highly effective biocide, non-corrosive to stainless steel plant equipment under both hot and cold conditions. SANITISER O6 helps prevent microbial contamination and meet ever demanding disinfection standards.

### DIRECTIONS FOR USE

**Hard Surface Sanitiser and CIP:** Dilute 1:100 to 1:1000 with soft water depending on the degree and nature of the soiling and pre-cleaning. Solution should be prepared within 1 hour of use and completely used. Allow for contact time of 10-30min at 20-60°C. Rinse off the product contacting surfaces with potable water (sterilised if possible) after use.

**Fruit & Vegetable, and Meat Product Washing:** Dilute 1:1000 (100 ppm PAA) to 1:4000 (25 ppm PAA) depending on sanitation duration and the product type. Soak for 1-5 minutes and drain well.

**No Rinse Sanitiser:** Use at a concentration of 0.5- 0.75 mL/L equivalent to 50 ppm (Peracetic Acid) or 1.0- 1.5 mL/L equivalent to 100 ppm (Peracetic Acid). Maximum no rinse concentration is 1.82—2.0 mL/L (200ppm PAA equivalent).

### SAFETY INFORMATION

SANITISER O6 is classified as Hazardous according to the GHS.

SANITISER O6 is classified as Dangerous Goods according to the ADG Code (7<sup>th</sup> Ed).

SANITISER O6 is a Scheduled Poison according to the SUSMP.

Avoid contact with eyes and skin. Avoid breathing vapour. Refer to SDS for further information.

#### FIRST AID INFORMATION

If poisoning occurs contact a doctor or **Poisons Information Centre Australia, Phone 13 11 26**. If swallowed do NOT induce vomiting. Wash out mouth thoroughly with water and seek immediate medical attention. If in eyes, hold eyelids apart and flood with water for at least 15 minutes. If on skin, remove contaminated clothing and wash affected area with running water. Seek immediate medical attention.

### PRODUCT ENQUIRIES

Customer Service: **1800 334 679**

[jasolcsteam@gwf.com.au](mailto:jasolcsteam@gwf.com.au)

For further information regarding product safety and handling, refer to the Safety Data Sheet and product label.

### PHYSICAL & CHEMICAL PROPERTIES

<b>FORM</b>	Liquid
<b>COLOUR</b>	Colourless
<b>ODOUR</b>	Pungent (Acetic Acid)
<b>pH</b>	0.3-0.7
<b>PAA CONTENT</b>	11-13% (w/w)
<b>FLAMMABILITY</b>	Combustible Liquid, Oxidiser

REFER OVERLEAF FOR ADDITIONAL INFORMATION



2052711



2052690



2052710



# SANITISER O6

## Peracetic Acid Based Sanitiser

41 – 45 Tarnard Drive, Braeside, VIC 3195  
131 Garling Street, O'Connor, WA 6163  
Telephone: 1800 334 679  
A division of George Weston



### EFFICACY

SANITISER O6 was evaluated in accordance with the principles outlined in BS EN 1276:2009.

At 20°C & 10 minutes contact time the product reached >99.999% kill against the following organisms at the following dilution rates:

<i>Salmonella choleraesuis</i>	0.25 g/L
<i>Escherichia coli</i>	0.25 g/L
<i>Staphylococcus aureus</i>	0.25 g/L
<i>Listeria monocytogenes</i>	0.25 g/L

At 20°C & 1 minute contact time the product reached 99.99% kill against the following organisms at the following dilution rates:

<i>Pseudomonas aeruginosa</i>	100 ppm PAA
<i>Escherichia coli</i>	100 ppm PAA
<i>Salmonella choleraesuis</i>	100 ppm PAA
<i>Listeria monocytogenes</i>	100 ppm PAA

